

# TOWN OF SULLIVAN

County of Madison  
Town Office Building  
7507 Lakeport Road  
Chittenango, New York 13037  
Office: 315-687-9190  
Fax: 315-687-1123

John M. Becker  
Supervisor



December 4, 2023

To Whom It May Concern:

The Town of Sullivan is accepting bids for a New Heavy Fire Rescue Vehicle with specified equipment (or equivalent to the minimum bid specifications enclosed). Exceptions will not be considered. Further, please take notice that the Town may utilize Best Value Practices in the award to the successful bidder.

It is not the intent of the Town of Sullivan to favor any one bidder and all bids will be given equal consideration, dependent upon the responses and the utilization of Best Value Practices. Many of the bid specifications should be accepted on an or equivalent basis.

**Bids will be opened on December 20, 2023 at 9:00 a.m.** Bids should be submitted in a sealed envelope and addressed to the Town of Sullivan Town Supervisor, 7507 Lakeport Road, Chittenango, New York 13037. Each envelope shall be plainly marked "**BID FOR NEW HEAVY FIRE RESCUE VEHICLE WITH SPECIFIED EQUIPMENT (OR EQUIVALENT), Dated December 20, 2023.**" *Please note that if the sealed package is not labeled exactly as specified above, the Town of Sullivan reserves the right to not open the bid. Equivalentents will be considered.*

Further, the Town of Sullivan reserves the right to reject any and all proposals, to waive technicalities or informalities, and to accept any proposal deemed to be the best value to the Town of Sullivan. No bid shall be valid unless signed. No bid shall be accepted other than as addressed above.

Bidders are further advised to submit a non-collusion form with its bid package.

Very truly yours,

A handwritten signature in blue ink, appearing to read "John M. Becker", written over a large, stylized blue scribble that extends downwards and to the left.

John M. Becker  
Town of Sullivan Supervisor

**BIDDER’S PROPOSAL SHEET**  
**New Heavy Fire Rescue Vehicle**  
**with Specified Equipment (or Equivalent)**

**BID** \$ \_\_\_\_\_  
(enter dollar amount)

**DELIVERY DATE** \_\_\_\_\_

Detailed specifications (attached) must accompany the bid. Specifications must be completed to receive consideration. Any bid not including itemized and detailed specifications, will not be considered a complete bid. The Town Board of the Town of Sullivan reserves the right to determine if any bid or specification is acceptable.

All bids must be accompanied by a certificate executed pursuant to Section 103-d of the General Municipal Law of the State of New York. These certificates are available from the Town Clerk. Be further advised that the Town Board may consider any bid which provides the Town with the “best value” as determined under Local Law No. 1 of 2015 and shall consider the following factors:

1. Lowest cost and convenience of maintenance or service of the equipment;
2. Durability and quality of the equipment;
3. Overall economic present and future value. Such factors may be evaluated by any submitted materials offered by the responsive bidder, as well as independent research by the Town of Sullivan.

Such factors shall be evaluated by any submitted materials offered by the responsive bidder, as well as independent research by the Town of Sullivan.

Be further advised that the Town of Sullivan may utilize the methodology of “piggybacking” as set forth in the Town of Sullivan Procurement Policy at §7 and as set forth under GML §103(16).

And further, the bid shall be allowed for others to utilize the piggybacking method pursuant to GML §103(16) for future purchases, all as more particularly set forth in the “Notice to Bidders.”

**BIDDER’S COMPANY NAME** \_\_\_\_\_

**AUTHORIZED REPRESENTATIVE** \_\_\_\_\_

**ADDRESS** \_\_\_\_\_

**PHONE** \_\_\_\_\_

**AUTHORIZED SIGNATURE** \_\_\_\_\_

**EMAIL ADDRESS** \_\_\_\_\_

**TITLE** \_\_\_\_\_ **DATE** \_\_\_\_\_

## **BID SPECIFICATIONS AND GENERAL INSTRUCTIONS**

1. Bids must be received by 9:00 a.m. on the 20<sup>th</sup> day of December, 2023 at the Town of Sullivan Town Clerk's Office, 7507 Lakeport Road, Chittenango, New York.
2. Bids must be in a sealed envelope clearly marked:  

**“BID FOR NEW HEAVY FIRE RESCUE VEHICLE WITH SPECIFIED EQUIPMENT (OR EQUIVALENT), Dated December 20, 2023.”**
3. Bids will be opened at a regularly scheduled Town Board meeting to be held on December 20, 2023 at 9:00 a.m. in the meeting room at the Town of Sullivan Town Hall, 7507 Lakeport Road, Chittenango, New York
4. Additional minimum specifications are on file at the Town of Sullivan Town Clerk's Office or at the Town of Sullivan Supervisor's Office, both located at 7507 Lakeport Road, Chittenango, New York.
5. Bids must include a completed Non-Collusion Bidding Certificate.
6. Bidder must specify “Delivery Date” and perform accordingly.
7. A copy of any applicable warranty must accompany the bid. Said warranty must not commence until the day of delivery.
8. To be considered complete, a set of specifications must accompany each bid unit.
9. The Town Board of the Town of Sullivan reserves the right to complete discretion regarding all bids.
10. To receive consideration, all deviations from specifications must be listed in detail on the bid proposal sheet. Any bid containing deviations from the norm, that are not clearly noted and fully explained, may not be considered a complete bid.
11. In cases where two or more bidders submit identically priced bids, the Town Board reserves the right to award the contract to either bidder at their discretion.
12. The Town Board reserves the right to reject any and/or all bids and/or re-advertise for new bids at their discretion.
13. All bids must be accompanied by a certificate executed pursuant to Section 103-d of the General Municipal Law of the State of New York. These Certificates are available from the Town Clerk. Be further advised that the Town Board may consider any bid which provides the Town with the “best value” as determined under Local Law 1 of 2015 and shall consider the following factors:
  - a. Lowest cost and convenience of maintenance or service of the equipment;
  - b. Durability and quality of the equipment;
  - c. Overall economic present and future value. Such factors may be evaluated by any submitted materials offered by the responsive bidder, as well as independent research by the Town of Sullivan.Such factors shall be evaluated by any submitted materials offered by the responsive bidder, as well as independent research by the Town of Sullivan.
14. Be further advised that the Town of Sullivan may utilize the methodology of “piggybacking” as set forth in the Town of Sullivan Procurement Policy at §7 and as set forth under GML §103(16).
15. Bidders should note that other political subdivisions may participate in the contract resulting from this bid award as authorized by General Municipal Law (*i.e.* “piggybacking”). Use of the successful contract by any other political subdivision must be coordinated between that political subdivision and the contractor. The Town will have no responsibility for any such purchase and will have no other role than to provide other political subdivisions with a copy of the successful contract if requested.

**NORTH CHITTENANGO FIRE COMPANY  
NEW HEAVY FIRE RESCUE VEHICLE PROPOSAL  
BID SPECIFICATION SHEET**

**Minimum Specifications:** *New Heavy Fire Rescue Vehicle (or equivalent)*

**Objective:** Replace the current North Chittenango Fire Company Heavy Fire Rescue vehicle with a modern apparatus that provides not only the same level of service currently provided but expands those services. This will be achieved by designing the apparatus to store the needed equipment, provide the safest platform for firefighters to be transported and work at emergency scenes more efficiently.

**Scope:** The heavy fire rescue vehicle proposed by bidders shall be a specialized vehicle designed to transport and provide equipment necessary for technical rescue. The rescue vehicle shall be designed to carry an array of special equipment, including but not limited to:

- Jaws of Life
- Scene lighting
- Wooden cribbing
- Cascade air system
- Generators
- Extra SCBA bottles
- Winches
- Assorted types of hand tools
- Hi-lift jacks
- Water/Ice rescue equipment
- Saws
- Air bags for lifting and wedging

***All specifications are an “or equivalent” basis:***

- NFPA Certification
- 10-year Cab Paint Warranty
- 10-year Cab Structural Warranty
- 5-Year Allison Transmission Warranty
- 5-Year, Engine Warranty
- Lifetime Frame Warranty
- Hendrickson (or equivalent) Front Axle Warranty
- 5-year Meritor Rear Axle Warranty
- 2-Year Cab and Chassis Warranty
- Cab Test Information: Static Load Seat Test, Crash Test ECE-29, SAE J2420 Jr2422, and Roof Crush/Side & Frontal Impact
- Two (2) Operation & Parts List Manuals and USB Drive
- One (1) As Built Wiring with Plumbing Diagram
- On Board USB Manual Storage and DOT Kit
- Rescue-type Vehicle with additional crossmembers RSD bodies
  - angle of approach requirement – 8 degrees
  - angle of departure requirement – 8 degrees

- 70” Cab length with a 24# roof
  - Cab drip rail extension
  - Rear cab wall cutout/rescue walkthrough
  - No Driver EMS cab compartment (short tunnel)
  - No Officer EMS cab compartment (short tunnel)
  - Driver exterior rear compartment (37” H x 9: W hinge door – bottom of seat box/bench)  
*Must have outer seat box or seat bench*
  - Driver Compartment Transverse
  - Driver Exterior Rear Compartment - Chrome Handle
    - Driver Rear Cab Compartment Manual Door Locks
  - Driver Rear Compartment Interior Finish to Match Interior Cab Coating
  - Driver Rear Com pt Lighting LED Strip 18”
  - Officer Exterior Rear Compartment 37”H x 9”W Hinge Door - Bottom of Seat Box/Bench  
*Must have outer seat box or seat bench*
  - Officer Compartment Transverse
  - Officer Exterior Rear Compartment - Chrome Handle
    - Officer Rear Cab Compartment Manual Door Locks
  - Officer Rear Compartment Interior Finish Match Interior Cab Coating
  - Officer Rear Campi Lighting LED Strip 18”
- EMS CABINETS - REAR CREW-FORWARD FACING CENTER
- EMS CABINETS - REAR CREW- FORWARD FACING OUTBOARD POSITION
- REAR ENGINE TUNNEL COMPARTMENTS
  - Cabinet, Rear Of Engine Tunnel, Rear Facing, Cargo Net 15” H x 36” W x 18” D
    - Exterior Finish, Cabinet, To Match Cab Interior
    - Interior Finish, Cabinet, To Match Cab Interior
    - Cmpt LED Strip Lt, (2) Ea Cmpt (approx 12”)
    - Cmpt Lt, Dr Swtch, Magnetic, Ea
- UPPER REAR WALL COMPARTMENTS
- CAB STEPS
  - Stainless Steel SST
  - Steps w/Grip Strut Lower, Treadplate Middle
  - Aux. Lower Cab Steps / Stirrup Steps - SST Grip Strut
- CAB DOORS
  - Cab Entry Doors
    - Barrier Free Cab Entry Doors
    - Step Trim Kickplate, Brushed Stainless Steel SST
  - Cab Door Hardware Black (4)
  - Cab Door Locks Manual
  - Interior 1-Piece Door Panel Type Aluminum
    - Door Panel Finish Line-X Gray
  - Interior Handle Front Door Grab Handles - Black Powder Coat
  - Interior Grab Handle Rear Door Chicago Style 34” Black Powder Coat
  - Additional Grab Handles, “A” Pillar

- CAB GLASS
  - Windshield One Piece
  - Windshield Wiper System Single Motor (2) Wipers - 3D Grille
  - Windshield Wiper Activation Switch on Driver Panel
  - Window Driver Power
    - Power Window Activation, Respective Door
  - Window Officer Power
  - Window 5% Tint Driver Crew Door Power
  - Window 5% Tint Officer Crew Door Power
  - Window 5% Tint Side Middle Driver Fixed 15.5"W x 21.5"H
  - Window 5% Tint Side Middle Officer Fixed 15.5"W x 21.5"H
  - Window 5% Tint Side Rear Driver Fixed 5"W x 22"H
  - Window 5% Tint Side Rear Officer Fixed 5"W x 22"H
- CAB INTERIOR AND TRIM
  - 24 Raise Cab 70" Interior Trim
    - Cab Insulation Interior Ceiling 70/24"
    - Cab Insulation Engine Tunnel, Short Tunnel
    - Cab Insulation Underbody, 70" Cab
    - Cab Insulation Cab Damping
    - Interior Trim Color Gray, 70"-24" Roof
    - Interior Trim Color Gray Rear Wall 24" Roof  
No Rear Wall Pac Trac - Mounted Full Width
    - Suspended Throttle and Brake Pedals
    - Interior Floor Covering Color Gray, 70"
    - Interior Trim Sun Visor Tinted
    - Cab Coating Interior Color  
Cab Coating Interior Gray Polyurethane
- CAB DASH AND ENGINE TUNNEL - 70" SHORT
  - Cab Dash & Engine Tunnel, Composite Dash - Short Tunnel
    - Cab Dash & Engine Tunnel Line-X Coating Gray
    - Flat Mntg Plate - Engine Tunnel, Composite Dash, Short Tunnel
    - Officer MDT Mount
    - Officer Glove Compt - Composite Dash
- CUSTOM CONSOLE - Havis Console
  - Havis Console Pre Configured
    - Mic Tab(s)  
Ship Loose
    - Map Light
  - Havis Console - Upper Portion  
Havis Console - Upper Portion - Option 13
    - Black Plate(s) for Communication Radio
    - Black Plates with (2) Power Point & (1) Dual USB Power Point
    - Black Plate for Siren

- Black Plate for Traffic Advisor
    - Black Plate for AM/FM Radio
  - Havis Console - Lower Portion
    - Havis Console - Lower Portion - Option 3
      - Black Blank Plate
      - Open Accessory Box 6-inch
      - Cup Holder, Dual
  - Instrumentation Panel Inlay - Job Color
- CAB EXTERIOR- 70”
  - CAB HEADER - HEAT AND AC
    - Cab Header / Heating and AC
      - Heating w/ Air Conditioning, Overhead, Multiplex
      - Cab Paint A/C Condenser on Roof
      - Heater Hose – Silicone
      - A/C Condenser Location Roof Mounted Mid Center
      - Auxiliary Defroster Fans
      - Auxiliary Coolant Heating System w/Hose Insulation
      - Heat & A/C Activation, Rear Crew Manual
      - Rear Crew Controls Manual - Located Overhead Center
- SEATS
  - Seat Color Gray/Red Seat Belt
  - Seat Driver 8-Way Electric ABTS
    - Single Retractor Seat Belt
    - Seat Back Non-SCBA
    - Seat Mounting Driver
    - Seat Material Durawear
    - Driver Seat Box Storage Compartment
      - Seat Box Driver & Officer Storage Access Doors (2) Driver/Officer
    - Seat Officer Fixed ABTS
      - Single Retractor Seat Belt
      - Seat Back SCBA
      - Seat Mounting Officer
      - Seat Material Durawear or equivalent
      - Officer Seat Box Storage Compartment
    - Two (2) Outboard Rear Facing Seats - 500 Series
      - Seat Crew Rear Facing Outer Bostrom 500 Series Tanker Flip-Up ABTS or equivalent
      - Belt Orientation shall pull from outboard shoulder to inboard hip*
    - Single Retractor Seat Belt - Bostrom
    - Seat Back Crew SCBA IMMI Smart Dock
    - Seat Mounting Rear Facing Outer
    - Two (2) Outboard Forward Facing Seats
    - Seat Crew Forward Facing Tanker Flip-Up
      - Belt Orientation shall pull from outboard shoulder to inboard hip*

- Single Retractor Seat Belt
  - Seat Back Crew SCBA
  - Seat Mounting Forward Facing
- Seat Boxes (70/78) Single Outer Driver and Officer Forward Facing
  - Seat Box (Single Seat) Forward Facing Storage Access Cutout (1) forward facing
  - Seat Box Finish - Match Cab Interior Coating
- GRAB HANDLES
  - Exterior Grab Handles 18" Aluminum
    - Exterior Grab Handles Black W/ Dual Lighting
    - Black Exterior Grab Handles with Dual Lighting Amber & Blue LED Lighting 18"
    - Exterior Grab Handles Black Scuff Plate 18"
    - Grab Handle LED Light Actvtn w/ Parking Brake
- CAB FRONT FASCIA
 

Traditional Front with Rectangular Headlamp Bezels

  - Front Grille, 3D Stainless Steel SST, W/Roto-Ray
    - Wing Light Bezel – SST
    - Front Grille Inlay - Painted American Flag
    - Grille Mounted Rota-Ray Provision  
Roto Ray Lt, Red-Clear-Blue, LED
- FLUID CHECKS & FILLS
  - Fluid Checks & Fills at Grille L9
  - Headlights, Quad, with Rectangular Bezel
  - Daytime Running Lights (DRL)
  - Headlight Location - Upper Bucket  
104 OS, 105 OS, and 104 DS, 105 DS
  - Front Turn Signals Whelen 600 LED (2) or equivalent
    - Turn Signal Located Upper Wings  
103 OS & DS
  - Front Marker Lamps Face Mounted LED (Center 3 Lightings, 2 Corner)
  - Side Marker Light LED - Chrome (2)
  - Headlight & Marker Light Activated Rocker Switch Driver Panel  
Cab Fender SS  
Mud Flaps Front
- CAB TILT
 

Cab Tilt System - Heavy Duty w/ Manual Back Up

  - Cab Tilt Limit Switch
  - Cab Tilt Lock Down Indicator
  - Cab Tilt Control Receptacle Temp
- REARVIEW MIRRORS
 

Bus Style Mirrors

  - Ramco Bus, 17" Driver (Door Mnt), 17" Officer (Cowl Mnt), Lower Convex, Black or equivalent
  - Rearview Mirror Heat Activated VISTA



- EXTERIOR CAB PAINT
  - Cab Paint Exterior Two Tone
    - Cab Paint Upper I Secondary
      - Paint Code: 891779 EW*
      - Paint Color: Black*
      - SUTPHEN CODE*
    - Cab Paint Lower I Primary
      - Paint Code: L0261*
      - Paint Color: Red*
      - SUTPHEN CODE*
    - Cab Paint Exterior Breakline - Paint Break F
    - Cab Undercoating
    - Paint Spray Out
- FRONT AXLE (or Equivalent)
  - Front Axle Hendrickson SteerTek 20000#
    - Front Wheel Bearing Lube Oil
    - Front Suspension Hendrickson Parabolic Spring 20K
    - Power Steering Gear TRW TAS 85 w/Assist- 20K and up- L9 Steertek Axle
    - Chassis Alignment
    - (2) Steer Tires 385/65R 22.5 Continental HAC 3 “L”
      - Counter Acting Balancing Beads
      - (2) Front Wheels Accuride 22.5 x 12.25 Steel - 23,000#
      - Wheel Paint Primary/Lower Cab Color
      - RED TO MATCH LOWER CAB*
    - 1-- Front Brakes Meritor EX225 Disc 17”
- STEERING WHEEL/ COLUMN
  - 4 Spoke Steering Wheel with ESC Tilt/Telescopic 18”
- REAR AXLE
  - Rear Axle, Single, 24000# Meritor RS-24-160
    - Rear Suspension Reyco 79KB - Spring 24000# Parabolic
      - Rear Brakes S-Cam Drum 16.5” x 7”
      - Rear Shock Absorbers
    - (4) Rear Tires 11R 22.5 Continental HDR2+ “H”
      - Counter Acting Balancing Beads
      - (4) Rear Wheels Accuride 22.5 x 8.25 Steel
      - Wheel Paint Primary/Lower Cab Color
      - RED TO MATCH LOWER CAB*
    - Valve Stem Extension - Single Axle
    - Vehicle Top Speed 65 mph
    - Electronic Stability Control Single Axle
      - *w/air manifold*
      - *NOT AVAILABLE on Tillers*
    - Air Tank Brackets - Hot Dipped Galvanized

- Park Brake Rear Wheels Only
  - Park Brake Control Driver Dash
- Wabco System Saver 1200
- Moisture Ejectors Auto/Auto Heat Wet Tank
- Air Supply Lines Nylon
- Air Horn Reservoir (1) 1200 Cu In
- FRAME
  - Frame Double Channel 35" Frame Width
  - Wheelbase Range 240" - 259"
  - Rear Overhang
    - AIE-100"
  - Frame/Front Extension Hot Dip Galvanized
    - Galvanized Frame Warranty BR
- BUMPER
- ENGINE
  - Engine Placement
  - Engine, Cummins L9, Base Spec, 2021
    - Cummins L9 Surcharge
    - 450HP Cummins L9-2021
  - Fan Clutch -L9
    - Fan Clutch Programming - Standard
  - Auxiliary Engine Brake Compression Brake (JAKE)
    - Auxiliary Engine Brake Control On/Off & Low/Med/High VISTA
  - 1-- AC Compressor -L9
  - Engine High Idle Speed 1250 RPM
  - Engine High Idle Control Manual & Automatic VISTA
  - Engine Air Intake Filtration and Restriction L9
  - Engine Exhaust System One Piece Officer Side, L9, 2021
    - DEF Tank - Commander
      - DEF Tank Access Fill Door
    - Engine Exhaust Ace Temp Mitigation
    - Engine Exhaust Wrap
      - DPF Control Regeneration Switch & Inhibit Switch Covered
  - Engine Cooling System- L9
    - Coolant Valve Shut Off Valve w/Connection - For Additional Heater
    - Engine Pump Heat Exchanger L9
- TRANSMISSION (or Equivalent)
  - Transmission Allison 3000 EVS
    - Transmission Fluid – Standard
    - Transmission 6th GEN Push Button Key Pad
    - Transmission Mode Programming 5th Startup/5th Mode
    - Transmission Feature Programming I/O Package 198/Pumper
    - Driveline Spicer 1710 HD

- FUEL SYSTEMS (or Equivalent)
  - Fuel Filter/Water Separator Cummins FS1098
  - Fuel Tank 50 Gal/189 Liter, Dual Fill
    - Fuel Lines Aramid Braid
    - Fuel Shutoff Valve (2) at Filter
    - Fuel Cooler Rearward of Battery Box
- ALTERNATORS (or Equivalent)
  - Alternator Leece-Neville 320 Amp
- ELECTRICAL SYSTEM (or Equivalent)
 

Electrical System 12V DC Weldon V-MUX 2022

  - Driver & Officer VISTA Display Weldon Vista IV
    - Driver Panel I Switch Panel (6 Switches) Under the Vista Screen
    - V-MUX WARRANTY -4 YEAR
- ACCESSORY POWER DISTRIBUTION PANEL
  - Accessory Power Distribution Panel - 12 Position 40A Battery Direct W/Ground  
*LOCATED BEHIND THE OFFICER SEAT*
  - Accessory Power Distribution Panel - 12 Position 40A Master Switch W/Ground  
*LOCATED BEHIND THE OFFICER SEAT*
  - Power Cable for Additional Power Studs
- ANTENNA
  - Communication Antenna Base Cab Roof - RBM Supplied  
*304DS & 304OS*
  - Communication Antenna Cable Routing Under Officer Front Seat  
*BEHIND OFFICER SEAT*
  - Radio WB/AM/FM/Bluetooth - Console Mount
    - Four (4) Speakers
- VEHICLE DATA RECORDER - SEAT BELT WARNING
  - Weldon VDR/Seat Belt Warn – VISTA
- ELECTRICAL ACCESSORIES
  - Commander Digital Gauge Composite Dash
    - Instrumentation Standard Digital Display With DEF
- BATTERIES
  - 6 Battery System
    - Batteries (6) Group 31  
Battery Box Driver/Officer Side Hot dipped Galvanized Steel w/Covers -6 Battery  
Battery Cables (6)  
Battery Jumper Studs Front Driver Lower Step  
2 Position Battery Master - Driver's Kick Plate  
Ignition Switch  
Power & Ground Stud 40A Battery Direct/ 15A Ignition
- LED LIGHTS - CHASSIS CAB
  - Ground Lights LED Techniq Strip Light E10-WS00-1LED
    - Ground Lights Activation with Park Brake

- STEP LIGHTS
  - Cab Step Lights LED (1 Per Door)
    - Step Lights Activated Respective Side
- INTERIOR DOOR WARNING LIGHTS
  - Interior Door Warning Lights Red 3” LED
- DOOR JAMB WARNING LIGHTS
- ENGINE COMPARTMENT LIGHTS
  - Engine Compartment Work Light LED (2)
- INTERIOR LIGHTING
  - Interior Overhead LED Lighting - Red/Clear
  - Add'l LED Dome Light Red/Clear - Individual Swtchd

*OPERATE ON SHORE POWER*
- CORNERING - MARKER LIGHTS
- CAB SPOTLIGHTS
  - Dr Open/Hazard Wrn Lt, Flash, Whelen 3SR00FRR LED Rnd (Do Not Move Appar
- CHASSIS WARNING LIGHTING – EQUIPMENT
  - Air Horns, Supplied with Body
  - Air Horn Cntrls
    - Air Horn Cntrl, Driver, Horn Ring, Air/Elec
    - Air Horn Cntrl, Dual Lanyard Pull Cord
  - SCENE LIGHT - FRONT/ CAB BROW
    - Fldlt, Fire Tech, FT-B-72-B, 30,096 Lmns, 72” Light Bar Mnt, Black
    - Scene Lt Actvtd, Front Scene, Driver & Officer VISTA
  - SCENE LIGHT - CAB LEFT SIDE
    - Scene Lt, Fire Research, Spectra, LED SPA260-015, Chrm, Surface Mount
    - Scene Lt Actvtd, Left Scene, Driver & Officer VISTA
  - SCENE LIGHT - CAB RIGHT SIDE
    - Scene Lt, Fire Research, Spectra, LED SPA260-Q15, Chrm, Surface Mount
    - Scene Lt Actvtd, Right Scene, Driver & Officer VISTA
  - Siren, Elect, Whelen 295SLSA1
  - Spkr, Body Supplied
  - Siren, F-S, Q2B, Provisions OEM Provide Install
    - Siren Cntrl, Q2B, Officer VISTA
    - Siren Cntrl, Q2B, Driver VISTA
  - Siren Brakes, F-S, 02B, (1) ea Side Driver & Officer Dash
    - Lt Bar, Whelen, Ultra Freedom IV, #F4N7QLED, LED, 72” (fully populated)  
Lightbar Cntrl, with Vista E-Master & Virtual Switch
    - Warn Lights Upper Rear Provided on Body
  - Flash Sequencer, Fed Sig, Intelli-Flash, 40-Amp
    - Turn Signals, Upper Wing Position, Chassis Supplied
    - Wrn Lts, Whelen, Inbrd Warn Lt, (2) M6 LED  
Wrn Lt, Drvr, Whelen, M6, Red LED, Color Lens, Ea  
Wrn Lt, Offer, Whelen, M6, Red LED, Color Lens, Ea

- Flange, Chrome, Wrn Lt, Whln, M6, Ea
    - Wrn Lts, Whelen, Outboard Warn Lt, (2) 6RB Rota-Beam LED
    - Wrn Lt, Drvr, Whelen, 6RB Clear LED, Clear Lens, Ea
    - Wrn Lt, Offer, Whelen, 6RB Clear LED, Clear Lens, Ea
  - Provisions Front Intersection Lights
  - Wrn Us, Whelen, Lvvr Mid Chassis (2) M6 LED
    - Wrn Lt, Drvr, Whelen, M6, Red LED, Color Lens, Ea
    - Wrn Lt, Offer, Whelen, M6, Red LED, Color Lens, Ea
    - Flange, Chrome, Wrn Lt, Whln, M6, Ea
  - Lower Zone B and D Light Provided with Body
  - Traffic Arrow Lt, Whelen, 46.82" 500 Series 5MM LED, TAL85
    - Control Head, Whelen TACTL5
- BACK UP ALARMS
  - Back Up Alarm, Preco-Matic 1059
- CAPTIUM SYSTEM
- HAAS Alert System
  - HAAS Alert System, HA-5
    - HAAS-5 Year Subscription
- REAR FACING CAMERAS
 

Camera System with V-Mux

  - Back Up Camera Only
    - Rear Facing Camera; Driver, Officer VISTA and Monitor in L1 Compt

*ADDITIONAL MONITOR IN L 1 COMPARTMENT TO ALLOW VIEWING OF REAR OF APPARATUS. THIS MUST BE FUNCTION WITH BUTTON TO TURN ON AND OFF*
- SHORELINE
  - Air Brake Compressor, KUSSMAUL, 120V
    - Air Compressor Location - Behind Driver's Seat
    - Automatic Shoreline - 20 Amp  
Shoreline, Super Auto Eject, 20A, Yellow  
Shoreline Locations Driver's Side Above Wheel Well  
*Please Specify Location*
  - Blue Sea P12 Battery Charger
    - Battery Charger Location - Behind Driver's Seat
    - Blue Sea Automatic Shoreline - 20 Amp  
Shoreline, Sure Eject, 20A, Black  
Shoreline Locations Driver's Side Above Wheel Well  
*Please Specify Location*
    - Indicator Location Canopy Window- Commander  
*216 DS*
- BUMPER MODIFICATIONS - EXTENSIONS - COMPARTMENTS – RBM
  - Front Bumpers, 4000, Max Force 12"H, Max Force Wings
    - Front Bumper, Max Force 12"H, T/P Apron, M/F Wings, 6" Extension
  - Tow Hooks Painted Below Forward Mount (pair)

- WHEEL TRIM and COVERS
  - Wheel Trim, SST Hub/Lug Covers, Front/Rear, Single Axle
  - Tire Pressure Indicator, Single Axle, Commander RWTG1235, EXT
- EXHAUST SYSTEMS
  - Exhaust, Horizontal Supplied With Chassis
- MUD FLAPS
  - Mud Flaps, Rear Wheels, Black, w/ Body
  - Binder Storage Module, Cab, Custom Chassis, Rear Engine Tunnel, Three (3) 2"
    - Exterior Finish, Cabinet, DA Sanded
    - Interior Finish, Cabinet, Natural
  - Battery Jump Start Lugs, Studs and Caps, Near Driver's Door
  - Air Brake Cmprsr, Supl'd w/ Chassis

== HLF/D/HRFD Walk IN Rescue Sngl Axle - 4212.023 04/21/23 ==

- Raw Material Surcharge - Single Axle
- Bdy Const - Rosenbauer Rescue - 3/16" Frmd Alum - Sngl Axl
  - Electrolysis Corrosion Cntrl
  - Smooth Alum Cmpt Floors
  - Sub Frame, Extrd Alum, SD
  - Whl Well Panel, Alum Pntd, Sngl Ale - Alum
    - Fenderette, Polished Stainless Steel SST
- WALK IN RESCUE BODY -22-FT (264-IN)
  - Bdy, Rescue, 96"
    - Drs, Hngd Specs
      - Dr Handle, Maltese Cross D-Ring, Hngd Drs
  - S.O.R. / Frnt of Bdy- Full Ht Comp't - Hnge Dbl Doors
 

DOUBLE DOORS

    - Cmpt Dpth, Walk In Rescue Bdy, 23" Deep
    - Cmpt Height, Front Cmpt, 72" High
      - Vents, Compts, Louvers, Includes Filters (Ea)
      - Shelving Tracks, (2) Unistrut, Alum
      - SCBA Bttl Rck, Frmd Alum, Ea
    - Cmpt LED Lt, Luma Bar, (2) Ea Cmpt
      - Cmpt Lt, Dr Swtch, Auto, Ea
    - S.O.R. / Fwd Cntr - Full Ht Comp't - Hnge Dbl Doors
      - Cmpt Dpth, Walk In Rescue Bdy, 23" Deep
      - Cmpt Height, Front Cmpt, 72" High
        - Vents, Compts, Louvers, Includes Filters (Ea)
        - Shelving Tracks, (2) Unistrut, Alum
        - Shelf, Adjust, Alum 3/16"
        - Turtle Tile, Shelves/Trays, (each)
      - Slide Tray, 250#, Alum 3/16"
    - Cmpt LED Lt, Luma Bar, (2) Ea Cmpt
      - Cmpt Lt, Dr Swtch, Auto, Ea

- Ahd Rr Whls - Full Ht Comp't- Hnge Dble Dr  
 Cmpt Dpth, Walk In Rescue Bdy, 23" Deep  
 Cmpt Height, Front Cmpt, 72" High  
     Vents, Compts, Louvers, Includes Filters (Ea)  
     Shelving Tracks, (2) Unistrut, Alum  
     Pull-Out Drop-Down Tray, 250#  
     Divider, Vert, Bolt-In, 3/16" Alum  
 Cmpt LED Lt, Luma Bar, (2) Ea Cmpt  
     Cmpt Lt, Dr Swtch, Auto, Ea
- Abv Rr Whls - Sgle Comp't- Hnge Lift Up Dr  
 Cmpt Dpth, Walk In Rescue Bdy, 23" Deep  
 Cmpt Height, Over Whl Cmpt, 45" High  
     Vents, Compts, Louvers, Includes Filters (Ea)  
     Shelving Tracks, (2) Unistrut, Alum  
     Pull-Out Drop-Down Tray, 250#  
     Divider, Vert, Bolt-In, 3/16" Alum

*DIVIDER INSTALLED NEXT TO REEL*

- Shelving Tracks, (2) Unistrut, Alum
- Cmpt LED Lt, Luma Bar, (2) Ea Cmpt  
 Cmpt Lt, Dr Swtch, Auto, Ea
- S.O.R./ Bhnd Rr Whls - Full Ht Comp't - Hnge Dbl Doors  
 Cmpt Dpth, Walk In Rescue Bdy, 23" Deep  
 Cmpt Height, Rr Cmpt, 72" High  
     Vents, Compts, Louvers, Includes Filters (Ea)  
     Shelving Tracks, (2) Unistrut, Alum  
     Slide Tray, 250#, Alum 3/16"

*MOUNTED IN MIDDLE OF COMPARTMENT*

SlideMaster Tray, 1000#, Alum 3/16" (1/4 Dpth), Up to 64"W (M3)

*MOUNTED NEAR FLOOR*

- Gravity Lock, Slide Master
- Cmpt LED Lt, Luma Bar, (2) Ea Cmpt  
 Cmpt Lt, Dr Swtch, Auto, Ea
- S.O.R. / Frnt of Bdy - Full Ht Comp't - Hnge Dbl Doors  
 Cmpt Dpth, Walk In Rescue Bdy, 23" Deep  
 Cmpt Height, Front Cmpt, 72" High  
     Vents, Compts, Louvers, Includes Filters (Ea)  
     Shelving Tracks, (2) Unistrut, Alum  
     Divider, Vert, Bolt-In, 3/16" Alum  
     Tool Board, Roll Out, 500#, 3/16" Alum (1/4 Depth)

*ADJUSTABLE SIDE TO SIDE CAPABILITIES*

*POSITIVE LOCKING*

- Cmpt LED Lt, Luma Bar, (2) Ea Cmpt  
 Cmpt Lt, Dr Swtch, Auto, Ea

- S.O.R. / Fwd Cntr - Full Ht Comp't - Hnge Dbl Doors  
 Cmpt Dpth, Walk In Rescue Bdy, 23" Deep  
 Cmpt Height, Front Cmpt, 72" High  
     Vents, Compts, Louvers, Includes Filters (Ea)  
     Shelving Tracks, (2) Unistrut, Alum  
     Shelf, Adjust, Alum 3/16"  
         Turtle Tile, Shelves/Trays, (each)  
     Slide Tray, 250#, Alum 3/16"  
     Air Bag Strge Module, Alum, (1) Bag  
 Cmpt LED Lt, Luma Bar, (2) Ea Cmpt  
     Cmpt Lt, Dr Swtch, Auto, Ea  
 Ahd Rr Whls - Full Ht Comp't- Hnge Obie Dr  
     Cmpt Dpth, Walk In Rescue Bdy, 23" Deep  
     Cmpt Height, Front Cmpt, 72" High  
         Vents, Compts, Louvers, Includes Filters (Ea)  
         Shelving Tracks, (2) Unistrut, Alum  
         S.O.R. / Cargo Webbing  
     Cmpt LED Lt, Luma Bar, (2) Ea Cmpt  
         Cmpt Lt, Dr Swtch, Auto, Ea
- Abv Rr Whls - Sgle Comp't - Hnge Lift Up Dr  
 Cmpt Dpth, Walk In Rescue Bdy, 23" Deep  
 Cmpt Height, Over Whl Cmpt, 45" High  
     Vents, Compts, Louvers, Includes Filters (Ea)  
     Shelving Tracks, (2) Unistrut, Alum  
     Pull-Out Drop-Down Tray, 250#  
     Divider, Vert, Bolt-In, 3/16" Alum  
 Cmpt LED Lt, Luma Bar, (2) Ea Cmpt  
     Cmpt Lt, Dr Swtch, Auto, Ea
- S.O.R. / Bhnd Rr Whls - Full Ht Comp't - Hnge Dbl Doors  
 Cmpt Dpth, Walk In Rescue Bdy, 23" Deep  
 Cmpt Height, Rr Cmpt, 72" High  
     Vents, Compts, Louvers, Includes Filters (Ea)  
     Shelving Tracks, (2) Unistrut, Alum  
     Tool Board, Roll Out, 500#, 3/16" Alum (1/4 Depth)  
 Cmpt LED Lt, Luma Bar, (2) Ea Cmpt  
     Cmpt Lt, Dr Swtch, Auto, Ea
- Rr of Bdy - Egress Doors - Hnge Dble Rcsd  
 Rr Entry Dr - Sliding Window  
 Walkway Height, Inter, 72"  
 Walkway, Head Bumper, At Dr Opening, Ea  
 Walkway Floor, Alum T IP, <25'  
     Walkway Subfloor, Isolation Barrier, Marine Plywood, <25'  
 Insulation, Inter, Walls and Ceilings, Foam



Inter Walls, Lwr Wlkwy, Alum TIP, <25'  
Inter Walls, Upper Side, Kemply Pebble Grain, <25'  
Inter Ceiling, Kemply, Pebble Grain Finish, <25'  
S.O.R. / Cab to Bdy, Walk Thru Connection, TIt Cab

*LOCATION TBD AT FINAL*

S.O.R. / Seat, Inter Walk-In, Non SCBA, Seats 911, ABTS Ea Flip Up

*DRIVER SIDE MIDWAY IN BODY*

Compt, Inter Walkway, Under Seating

Seat Compt! Mtg, Fldg Ladder

*10' DUO SAFETY ATTIC LADDER SUPPLIED BY MANUFACTURER*

- Seat Compt Mtg, Pike Pole
- Seat Compt Mtg, Backboard
- Heat/AC Unit, Interior, 45000BTU Heat/35000BTU Cooling
- Refrigerator, 4.4 Cubic Feet, 120V

*FRONT PASSENGER SIDE INTERIOR BODY*

Rcptcl, 120V, 15 Amp, Strght Bid, Sngl

S.O.R./Handrail, Slanted, At Rr Entry Dr Opening, 30" Black

S.O.R./Dome Lt, Rescue Bdy Interior, Clear, LED, Whelen 60C0EJCS

*MUST ALSO BE SHORELINE POWERED*

*MOUNTED SPACED EVENLY IN WALKWAY*

Dome Lt, Rescue Bdy Interior, Red, LED, Whelen 60CREGCS

*MOUNTED SPACED EVENLY IN WALKWAY*

- Rr Step, WI Rescue Bdy, Rcsd, 12"

S.O.R. / Equipment Mounting Pnl, Interior Rescue Body Walls

*3 PER SIDE INSODE RESCUE BODY ON WALLS*

S.O.R. / Cargo Webbing Securement in Rescue Body

*LEFT SIDE: 3 SECTIONS OF CARGO WEBBING*

*RIGHT SIDE: 3 SECTIONS OF CARGO WEBBING*

Ladders, other, Provd'd By Bdy Bldr, SD

- Pike Pole Provd'd By, Bdy Bldr SD
- == Rescue-Common Body Parts - 4212.023 04/21/23 ==

Bdy Trim, Frnt Cmpt, Ht of Side Cmpts, Alum T/P

Catwalks Top of Side Cmpts, Alum Treadplate

- REAR BODY DESIGN - RESCUE
  - Bdy Trim, Entire Rr Bdy, Smooth for Chevron Stripe
- AUXILIARY REAR BODY STEPS
- HANDRAILS - RESCUE
  - Surface Mt Awning, Driver Side Upper Bdy, Up To 24'  
*AUX CONTROL IN LI*
    - Awning, Girard Rollout, 12V Elec, Up to 18'
  - Rub Rails, Lwr Bdy, Extrd Alum
    - Rub Rails, Spacers, Nylon
  - Whl Well Prvsns, Ahd of Whls Left Side

- Whl Well Cmpt, Floor Dry, Pntd Alum Dr
- Whl Well Prvsns, Bhnd Whls Left Side
  - Fuel Fill Door, Alum Pntd, LH Whl Well Panel
- Whl Well Prvsns, Ahd of Whls Right Side
  - Whl Well Cmpt, Floor Dry, Pntd Alum Dr
- Whl Well Prvsns, Bhnd Whls Right Side
  - Whl Well Cmpt, Extngr, Pntd Alum Dr

*Water Can*

- Whl Well Cmpt, SCBA Cmpt Straps

== Rescue-AC Electrical System - 4212.023 04/21/23 ==

- Gnrtr, Onan PTO, 25KW, 120/240V, 60Hz, 1 PH, YDCR
  - Gnrtr Install, Fxd, PTO Driven, Base Specs
  - Gnrtr Testing, Only Required For Units >8KW
  - Circuit Breaker Box, 16 to 25KW, 1 PH

*L2*

Gnrtr Breaker Lctn, Side Cmpt

*L2*

- Gnrtr Instrmnts, Meter Package, Digital Hour Meter, Gnrtr  
Gnrtr Instrmnt Panel Lctn, Breaker Panel
- Gnrtr Breaker Lctn, Side Cmpt
- Gnrtr Wiring, Type SO Cable, Rubber Cvred
- Reptcl, 120V, 20 Amp, Strght Bld, Duplex
  - Reptcl Lctn, Left Side, Ahd Rr Whls Cmpt, Ea
  - Reptcl Lctn, Left Side, Over Whl Cmpt, Ea
  - Reptcl Lctn, Left Side, Bhnd Rr Whls Cmpt, Ea
  - Reptcl Lctn, Right Side, Ahd Rr Whls Cmpt, Ea
  - Reptcl Lctn, Right Side, Over Whl Cmpt, Ea
  - Reptcl Lctn, Right Side, Bhnd Rr Whls Cmpt, Ea
  - Reptcl Lctn, Interior Bdy, Walk In Area, Ea
  - Reptcl Lctn, Inside Cab, Crew Area, Ea
- Reptcl, 120V, 15 Amp, 4-Plug Strip Reptcl
  - Reptcl Lctn, Interior Bdy, Walk In Area, Ea
  - Reptcl Lctn, Inside Cab, Crew Area, Ea
- Transfer Swtch, Gen to Shore Power  
*ALL 120V RECEPTACLES/REELS TO BE GENERATOR AND SHORE POWER INCLUDING REFRIGERATOR*
- Reptcls Chassis Cab (Shoreline Wired)
  - Reptcl, 120V, 20 Amp, Strght Bid, Duplex  
Reptcl Lctn, Inside Cab, Crew Area, Ea
- Shore Power Strip, 120V, 15 Amp, 4-Plug Strip Reptcl
  - Reptcl Lctn, Inside Cab, Crew Area, Ea
- Cable Reels, Provd'd by Bdy Bldr
  - Cable Reel, Hannay ECR1600, Elec Rwnd, 120V 50A 3 Wire

Cable Reel Lctn, Left Side, Over Whl Cmpt, Upper  
Cable, Elec, 120V, 200' 10/3 Blk  
Cable Rcptcl, 120V L5-20R, 3-Prong, Twst Lck  
Ball Stop, Cable, Orange  
Jct Box, AKR, (4)120V 5-20R SB, L5-20P Pgtl, Gray  
Jct Box, Holder, Brushed Alum

Roller Assy, Cable Reel, 4-Way, SST Rollers

- Lt Tower Mtg, Hrzntl, Rcsd Top Bd  
Lt Tower, Knight, KL415A-FS, FRC Spectra, (6)-220W 120V  
Controls, Mtg, Light Tower, Left Front Compt

== *Rescue-Equipment Systems - 4212.023 04/21/23* ==

○ Air System Cntrl Panel, Rescue

- Four (4) Bttl Panel

*PANEL TO BE ON TOP*

- Air Cylndr Rack, 4 Cylndr, Vrtcl  
Air Cylndr, ISO/UN 6000 PSI, 4 Bttl

*2 BOTTLES LI*

*2 BOTTELS RI*

- SCBA Fill Enclsr, 2 Bttls

*SPACESAVER VERTICAL FILL STATION IN LI*

- Air Reel, Hannay 1500, low pressure, tool Air, (50-250PSI)  
*LOCATED IN RA4 ABOVE WHEEL WELL*  
Air Hose, Low Press, Tool Air, 1 /4", 150'
- Winch, Warn, Elec, Prtbl, 9,000#, XD9000i Multi-mount P/N 27550 w/6370 Cradle  
Rcv'r, Frnt, Winch/Rope, 9,000#

Winch Power Rcptcl, Warn, 12V, Quick Disconnect, Ea

- Rcv'r, Rr, Winch/Rope/Trailer, 9,000#  
Winch Power Rcptcl, Warn, 12V, Quick Disconnect, Ea  
Trailer Hitch Pwr Plug, 12V, 6 Pin, Round
- Rcv'rs, Bdy Side, Winch/Rope, 9,000# w/Rcv'r, (1) Ea Side  
Winch Power Rcptcl, Warn, 12V, Quick Disconnect, Ea

- Rcv'r for Rope Tie Off, Extra, 9000#  
== WI Rescue-Single Axle-Pnt/Ltr/Str - 4212.023 04/21/23 ==

- Bdy Paint, Sgl Axle WI Rescue, Two-Tone
- Compt Finish, Line-X Up to 8 Cmpts  
Compt Finish, Liner Matl, Grey
- Whls, Paint, By Chassis Manufacturer  
*PAINTED RED TO MATCH LOWER BODY PRIMARY COLOR*
- Bdy Paint, Touch Up, 2 oz. Bttl, One Color
- Undercoating, Cab, 4 Door, Cstm
- Undercoating, Bdy, Sngl Axle

- S.O.R./Lettering, 4" Mylar Gold Leaf, 140 Letters  
*UP TO 150 LETTERS*

- Lettering, 8-12" Mylar Gold Leaf, 50 Letters
- Stripe, Single Reflective, 6", Straight Design  
Reflective Stripe Material, Black
- SOR./Stripe, Reflective 3M, Chevron Pattern Entire Rear Red/Black  
*REFLECTIVE RED/BLACK*
- NFPA Standing/ Walking Surfaces Yellow Safety Tape (NFPA 15.7.1.6)
- == Rescue - Single Axle - Loose Equipment - 4212.023 04/21/23 ==
- Wheel Chocks, Aluminum, (2) Standard
  - Wheel Chock Brackets, (2) Under Body
  - Hook, Roof NY, w/ Grips, 6-ft, Fire Hooks Unlmt
  - Hook, Roof NY, w/ Grips, 8-ft, Fire Hooks Unlmt
  - Pike Pole, New Yorker, Rnd Fbrgls w/ Grips & Ram Knob, 10-ft, Fire Hooks Unlmt
  - Pike Pole, New Yorker, Rnd Fbrgls w/ Grips & Ram Knob, 14-ft, Fire Hooks Unlmt
- Emrgncy Road Kit - DOT Required
- Miscellaneous Loose Hardware, Bolts-Nuts-Washers-Screws

## **NON-COLLUSION BIDDING CERTIFICATE**

By submission of this bid, the bidder and each person signing on behalf of the bidder, certifies under penalty of perjury, to their best knowledge and belief:

1. The price(s) in this bid, was arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such price(s) with any other bidder or with any competitor;

2. Unless otherwise required by law, the price(s) which has been quoted in the bid has not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and

3. No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

The preceding statement, known and executed by the undersigned, is affirmed as true and attached to the bid submitted herewith under the penalties of perjury of the State of New York.

**BIDDER NAME** \_\_\_\_\_

**AUTHORIZED REPRESENTATIVE** \_\_\_\_\_

**BIDDER ADDRESS** \_\_\_\_\_

\_\_\_\_\_

**BIDDER PHONE** \_\_\_\_\_

**AUTHORIZED SIGNATURE** \_\_\_\_\_

**TITLE** \_\_\_\_\_

**DATE** \_\_\_\_\_

(Corporate Seal)

## **NOTICE TO BIDDERS**

### **(New Heavy Fire Rescue Vehicle with Specified Equipment for the North Chittenango Fire Company)**

**PLEASE TAKE NOTICE** that the Town Board of the Town of Sullivan will receive sealed bids on the following until 9:00 a.m. on Wednesday, December 20, 2023 at the Town of Sullivan Offices located at 7507 Lakeport Road, Chittenango, New York:

### **NEW HEAVY FIRE RESCUE VEHICLE WITH SPECIFIED EQUIPMENT (OR EQUIVALENT)**

**Minimum Specifications:** *New Heavy Fire Rescue Vehicle (or equivalent)*

**Objective:** *Replace the current North Chittenango Fire Company Heavy Fire Rescue vehicle with a modern apparatus.*

**Scope:** *The heavy fire rescue vehicle proposed by bidders shall be a specialized vehicle designed to transport and provide equipment necessary for technical rescue. The rescue vehicle shall be designed to carry an array of special equipment, including but not limited to:*

- *Jaws of Life*
- *Scene lighting*
- *Wooden cribbing*
- *Cascade air system*
- *Generators*
- *Extra SCBA bottles*
- *Winches*
- *Assorted types of hand tools*
- *Hi-lift jacks*
- *Water/Ice rescue equipment*
- *Saws*
- *Air bags for lifting and wedging*

Additional specification forms for this item may be obtained at the Town of Sullivan Town Hall, Attn: Supervisor's Office, 7507 Lakeport Road, Chittenango, New York 13037.

**All bids received pursuant to this notice will be publicly opened on December 20, 2023 at 9:00 a.m. at the Town Hall, and considered at a regular of the Town Board on December 20, 2023 at 9:00 a.m. and awarded at that time or thereafter, in the Board's discretion.**

It is a condition of this bid that the bidder set forth the proposed date of delivery.

All bids must be accompanied by a certificate executed pursuant to Section 103-d of the General Municipal Law of the State of New York. These Certificates are available from the Town Clerk. Be further advised that the Town Board may consider any bid which provides the Town with the "best value" as determined under Local Law No. 1 of 2015 and the Town of Sullivan Procurement Policy (amended and effective May 6, 2020) and shall consider the following factors:

1. Lowest cost and convenience of maintenance or service of the equipment;
2. Durability and quality of the equipment;
3. Overall economic present and future value. Such factors may be evaluated by any submitted materials offered by the responsive bidder, as well as independent research by the Town of Sullivan.

Such factors shall be evaluated by any submitted materials offered by the responsive bidder, as well as independent research by the Town of Sullivan.

Be further advised that the Town of Sullivan may utilize the methodology of “piggybacking” as set forth in the Town of Sullivan Procurement Policy at §7 and as set forth under GML §103(16).

Bidders should note that other political subdivisions may participate in the contract resulting from this bid award as authorized by General Municipal Law (*i.e.* “piggybacking”). Use of the successful contract by any other political subdivision must be coordinated between that political subdivision and the contractor. The Town will have no responsibility for any such purchase and will have no other role than to provide other political subdivisions with a copy of the successful contract if requested.

The Town of Sullivan reserves the right to waive any and all irregularities and to reject any and all bids or to rebid solely at the Town Board’s discretion



---

**JOHN M. BECKER, Supervisor**  
**Town of Sullivan**